

**TraceParts list of Aerospace Standards available**

<b>Standard</b>	<b>Description</b>
AA55623	Screw, machine, 82° and 100°, flat countersunk head, slotted, plastic (nylon), UNC-2A and UNF-2A
AS1031	Fitting, tee, standard and reducer, bulkhead on run, internal port on side, flared
AS1032	Fitting, tee, standard and reducer, bulkhead on run, internal port on run, flared
AS1033	Fitting, tee, standard and reducer, bulkhead on run, internal port on run, flared
AS1034	Fitting, elbow, 90°, standard and reducer, flared
AS1035	Fitting, tee, standard and reducer, flared
AS1036	Fitting, cross, standard and reducer, flared
AS1038	Fitting, elbow, 90°, standard and reducer, bulkhead, flared
AS1039	Fitting, tee, standard and reducer, bulkhead on side, flared
AS1040	Fitting, elbow, 45°, standard and reducer, bulkhead, flared
AS14237	Bushing, sleeve plain, press fit, ream type
AS14238	Bushing, sleeve flanged, press fit, ream type
AS21902	Union, flareless tube
AS21907	Elbow, bulkhead universal, 45°, flareless tube
AS21908	Elbow, bulkhead universal 90°, flareless tube
AS21911	Tee, bulkhead, flareless tube, internal thread on run
AS21914	Cap, pressure seal, flareless tube fitting
AS21915	Adaptater, straight, tube to boss
AS21916	Reducer, external thread, flareless tube
AS21919	Clamp, loop type, cushioned support
AS21921	Nut, sleeve coupling, flareless
AS21924	Union, flareless tube, bulkhead and universal
AS21991	Tee, bulkhead, flareless tube, internal thread on run
AS4854	Fitting, elbow, 90 pipe, internal and external thread
AS4856	Fitting, elbow, 90°, pipe, internal thread
AS4857	Fitting, tee, pipe, internal thread
AS4859	Fitting, coupling pipe, internal thread
AS4860	Fitting, nipple, pipe, external thread
AS4861	Fitting, bushing, pipe, internal and external thread
AS4862	Plug, pipe, external thread, hex head
AS4863	Plug, pipe, external thread
AS5161	Fitting, bolt, fluid passage
AS5168	Fitting plug, tube end, flared
AS5169	Fitting, port plug and bleeder
AS5172	Fitting, adaptater, port, reducer
AS5173	Fitting, bushing, port, reducer
AS5174	Fitting, union and reducer, flared
AS5178	Nut, fitting, bulkhead
AS5179	Nut, fitting, port
AS5180	Fitting, adaptater, bulkhead, flared to hose
AS5190	Fitting, elbow 90°, internal straight thread port
AS5192	Fitting, tee, internal straight thread port
AS5193	Fitting, cross, internal straight thread port
AS5194	Fitting, adapter, straight pipe to flared
AS5195	Fitting, elbow, 90°, flared to pipe
AS5196	Fitting, elbow, 45°, flared to pipe
AS5197	Fitting, tee, flared
AS5198	Fitting, tee, flared to pipe on run
AS5227	Flange, straight thread port, weld
AS5406	Fitting, union, tube, .375 bulkhead
AS85049/95	Connector accessories, electrical, mounting device, flange type, category 7, 3/4 perimeter

**TraceParts list of Aerospace Standards available**

<b>Standard</b>	<b>Description</b>
AS85049/96	Connector accessories, electrical, mounting device, flange type, category 7, 1/4 perimeter
AS9358	Nut, plain, castellated, hexagon - UNS S66286, 130 KSI MIN
M83798/1	Fitting, rubber hose, lightweight, medium pressure, flared, swivel nut, straight
M83798/3	Fitting, rubber hose, lightweight, medium pressure, flared, swivel nut, 90°
MIL-DTL-38999/20E	Connector, electrical, circular, receptacle, threaded, wall mounting flange, removable crimp contacts, series III, metric
MIL-DTL-38999/22E	Connector, electrical, circular, receptacle, threaded, dummy stowage, series III, metric
MIL-DTL-38999/22E	Connector, electrical, circular, threaded, receptacle, jam-nut mounting, hermetic, hermetic solder contacts, series III, metric
MIL-DTL-38999/23B	Connector, electrical, circular, threaded, receptacle, jam-nut mounting, hermetic, hermetic solder contacts, series III, metric
MIL-DTL-38999/24E	Connector, electrical, circular, receptacle, jam-nut mounting, removable crimp contacts, series III, metric
MIL-DTL-38999/26E	Connector, electrical, plug, circular, threaded, straight, removable crimp contacts, series III, metric
MIL-DTL-38999/32C	Connector, electrical circular, cover, protective, plug, series III, metric
MIL-DTL-38999/33C	Connector, electrical circular, cover, protective, receptacle, series III, metric
MIL-DTL-38999/40A	Connector, electrical, circular, receptacle, wall mounting flange, breech coupling, removable crimp contacts, series IV, metric
MIL-DTL-38999/42A	Connector, electrical, circular, receptacle, box mounting flange, breech coupling, removable crimp contacts, series IV, metric
MIL-DTL-38999/46A	Connector, electrical, circular, plug, breech coupling, emi grounding, removable crimp contacts, series IV, metric
MIL-DTL-38999/47A	Connector, electrical, circular, plug, breech coupling, removable crimp contacts, series IV, metric
MIL-DTL-38999/49A	Connector, electrical, circular, receptacle, in line cable, breech coupling, removable crimp contacts, series IV, metric
MS14315	Bushing, pipe, brass or bronze, threaded (outside head, inside head, and face), classes 250 and 125
MS20426	Rivet, solid, countersunk 100°, precision head, 1100-F Aluminium
MS20426	Rivet, solid, countersunk 100°, precision head, 2017-T4 Aluminium alloy
MS20426	Rivet, solid, countersunk 100°, precision head, 2024-T4 Aluminium alloy
MS20426	Rivet, solid, countersunk 100°, precision head, 2117-T4 Aluminium alloy
MS20426	Rivet, solid, countersunk 100°, precision head, 2219-T62 Aluminium alloy
MS20426	Rivet, solid, countersunk 100°, precision head, 2219-T81 Aluminium alloy
MS20426	Rivet, solid, countersunk 100°, precision head, 5056-H32 Aluminium alloy
MS20426	Rivet, solid, countersunk 100°, precision head, 7050-T73 Aluminium alloy
MS20426	Rivet, solid, countersunk 100°, precision head, Titanium columbium alloy 45 Cb
MS20470	Rivet, solid, universal head, 1100-F Aluminium
MS20470	Rivet, solid, universal head, 2017-T4 Aluminium alloy
MS20470	Rivet, solid, universal head, 2024-T4 Aluminium alloy
MS20470	Rivet, solid, universal head, 2117-T4 Aluminium alloy
MS20470	Rivet, solid, universal head, 2219-T62 Aluminium alloy
MS20470	Rivet, solid, universal head, 2219-T81 Aluminium alloy
MS20470	Rivet, solid, universal head, 5056-H32 Aluminium alloy
MS20470	Rivet, solid, universal head, 7050-T73 Aluminium alloy
MS20470	Rivet, solid, universal head, Titanium columbium alloy 45Cb
MS20500	Nut, self locking, hexagon, 1200°F, 125 KSI Ft <sub>u</sub>
MS20605	Rivet, blind, nonstructural, 100° flush head
MS20756	Flange, swivel, retaining
MS27769	Plug, pipe, countersink hex head
MS35265	Screw machine-drilled fillister head, slotted, carbon steel, UNC-2A
MS35426	Nut, plain, wing, UNF-2B

**TraceParts list of Aerospace Standards available**

<b>Standard</b>	<b>Description</b>
MS51858	Nut, plain-hexagon, plastic (nylon)
MS51957	Screw, machine, pan head, cross-recessed, corrosion resistant steel, UNC-2A
MS83798/1	Fitting, rubber hose, lightweight, medium pressure, flared, swivel nut, straight
MS83798/3	Fitting, rubber hose, lightweight, medium pressure, flared, swivel nut, 90°
NAS 424	Coupling - tube flared, female thread
NAS1033	Nut, self-locking, plate-right angle, regular,height, c'bore, floating
NAS1053	Bolt, eye, assembly - forged carbon steel
NAS1081	Setscrew - Self-locking
NAS1101	Screw, machine-flat fillister head, full thread, offset cruciform
NAS1102	Screw machine-flat 100 deg head full thread, offset cruciform
NAS1103	Bolt, shear - hexagon, head modified, short thread
NAS1104	Bolt, shear - hexagon, head modified, short thread
NAS1105	Bolt, shear - hexagon, head modified, short thread
NAS1106	Bolt, shear - hexagon, head modified, short thread
NAS1107	Bolt, shear - hexagon, head modified, short thread
NAS1108	Bolt, shear - hexagon, head modified, short thread
NAS1109	Bolt, shear - hexagon, head modified, short thread
NAS1110	Bolt, shear - hexagon, head modified, short thread
NAS1112	Bolt, shear - hexagon, head modified, short thread
NAS1114	Bolt, shear - hexagon, head modified, short thread
NAS1116	Bolt, shear - hexagon, head modified, short thread
NAS1118	Bolt, shear - hexagon, head modified, short thread
NAS1120	Bolt, shear - hexagon, head modified, short thread
NAS1149	Washer, flat
NAS1189	Screw, self-locking-flat 100 deg head, full thread
NAS1190	Screw, self-locking, pan head, full thread, cruciform and offset cruciform recess
NAS1202	Bolt, 100° close tolerance head and shank, 160.000 PSI short thread
NAS1203	Bolt, 100° close tolerance head and shank, 160.000 PSI short thread
NAS1204	Bolt, 100° close tolerance head and shank, 160.000 PSI short thread
NAS1205	Bolt, 100° close tolerance head and shank, 160.000 PSI short thread
NAS1206	Bolt, 100° close tolerance head and shank, 160.000 PSI short thread
NAS1207	Bolt, 100° close tolerance head and shank, 160.000 PSI short thread
NAS1208	Bolt, 100° close tolerance head and shank, 160.000 PSI short thread
NAS1209	Bolt, 100° close tolerance head and shank, 160.000 PSI short thread
NAS1210	Bolt, 100° close tolerance head and shank, 160.000 PSI short thread
NAS1221	Bolt, 100° flush head, self-locking optional
NAS1223	Bolt, shear - hexagon head, self locking
NAS1224	Bolt, shear - hexagon head, self locking
NAS1225	Bolt, shear - hexagon head, self locking
NAS1226	Bolt, shear - hexagon head, self locking
NAS1227	Bolt, shear - hexagon head, self locking
NAS1228	Bolt, shear - hexagon head, self locking
NAS1229	Bolt, shear - hexagon head, self locking
NAS1230	Bolt, shear - hexagon head, self locking
NAS1231	Bolt, shear - hexagon head, self locking
NAS1232	Bolt, shear - hexagon head, self locking
NAS1233	Bolt, shear - hexagon head, self locking
NAS1234	Bolt, shear - hexagon head, self locking
NAS1235	Bolt, shear - hexagon head, self locking
NAS1291	Nut, self-locking, hexagon low height, light weight
NAS1300	Thumbscrew
NAS1351	Screw, cap, socket head, UNRF-3A
NAS1352	Screw, cap, socket head, UNRC-3A and UNRC-2A
NAS1473	Nut, self-locking, plate-two lug, cap, floating

**TraceParts list of Aerospace Standards available**

<b>Standard</b>	<b>Description</b>
NAS1523	Packing with retainer
NAS1564	Reducer, flared tube
NAS1578	Bolt, flat pan head
NAS1580	Bolt, 100° flush head, 95 KSI shear
NAS1581	Bolt, 100° flush reduced head
NAS1635	Screw, machine - pan head, cross recessed, full thread
NAS1727	Nut, self-locking, aligning, 450°F and 800°F
NAS1727	Nut, self-locking, aligning, 450°F and 800°F (nut only)
NAS1727	Nut, self-locking, aligning, 450°F and 800°F (washer only)
NAS1758	Nut, self locking, extended washer, double hexagon, 220 KSI, 450° F
NAS1759	Nut, self-locking, double hexagon shear 450°F
NAS1765	Nut, self-locking, plate - two lug, floating, 125 KSI Ft <sub>u</sub> , 450°F and 800°F
NAS1766	Nut, self-locking, plate - corner, counterbored, floating, 125 KSI Ft <sub>u</sub> , 450°F and 800°F
NAS1804	Nut, self-locking, extended washer, double hexagon, alloy steel, 180 KSI, 450°F
NAS1832	Insert, molded in, blind threaded, self-locking, nonself-locking, sandwich panel
NAS1835	Insert, molded in, blind threaded, self-locking, nonself-locking, floating, sandwich panel
NAS1836	Insert, molded in, blind threaded, self-locking, nonself-locking, lightweight, sandwich panel
NAS1870	Nut, self-locking, plate - two lug, deep counterbore, floating, 125 KSI Ft <sub>u</sub> , 450°F and 800°F
NAS3103	Bolt-U
NAS3104	Bolt-U
NAS3105	Bolt-U
NAS3108	Bolt-U
NAS42	Spacer, sleeve rivet
NAS424	Coupling - tube flared, female thread
NAS43	Spacer, sleeve - screw and bolt
NAS509	Nut, drilled jam
NAS551	Bolt - Universal fitting
NAS577	Nut, self-locking, barrel, floating 180 KSI Ft <sub>u</sub>
NAS591	Coupling - rigid tube connector, aluminium
NAS593	Nut - rigid tube connector, aluminium
NAS6603	Bolt, hex head, close tolerance, alloy steel, long thread, self-locking and nonlocking
NAS6604	Bolt, hex head, close tolerance, alloy steel, long thread, self-locking and nonlocking
NAS6605	Bolt, hex head, close tolerance, alloy steel, long thread, self-locking and nonlocking
NAS6606	Bolt, hex head, close tolerance, alloy steel, long thread, self-locking and nonlocking
NAS6607	Bolt, hex head, close tolerance, alloy steel, long thread, self-locking and nonlocking
NAS6608	Bolt, hex head, close tolerance, alloy steel, long thread, self-locking and nonlocking
NAS6609	Bolt, hex head, close tolerance, alloy steel, long thread, self-locking and nonlocking
NAS6610	Bolt, hex head, close tolerance, alloy steel, long thread, self-locking and nonlocking
NAS6612	Bolt, hex head, close tolerance, alloy steel, long thread, self-locking and nonlocking
NAS6614	Bolt, hex head, close tolerance, alloy steel, long thread, self-locking and nonlocking

**TraceParts list of Aerospace Standards available**

<b>Standard</b>	<b>Description</b>
NAS6616	Bolt, hex head, close tolerance, alloy steel, long thread, self-locking and nonlocking
NAS6618	Bolt, hex head, close tolerance, alloy steel, long thread, self-locking and nonlocking
NAS662	Screw, machine, flathead 100°, plain and self-locking
NAS6620	Bolt, hex head, close tolerance, alloy steel, long thread, self-locking and nonlocking
NAS6703	Bolt, hex head, close tolerance, A286 CRES, long threads, self-locking, nonlocking
NAS6704	Bolt, hex head, close tolerance, A286 CRES, long threads, self-locking, nonlocking
NAS6705	Bolt, hex head, close tolerance, A286 CRES, long threads, self-locking, nonlocking
NAS6706	Bolt, hex head, close tolerance, A286 CRES, long threads, self-locking, nonlocking
NAS6707	Bolt, hex head, close tolerance, A286 CRES, long threads, self-locking, nonlocking
NAS6708	Bolt, hex head, close tolerance, A286 CRES, long threads, self-locking, nonlocking
NAS6709	Bolt, hex head, close tolerance, A286 CRES, long threads, self-locking, nonlocking
NAS6710	Bolt, hex head, close tolerance, A286 CRES, long threads, self-locking, nonlocking
NAS6712	Bolt, hex head, close tolerance, A286 CRES, long threads, self-locking, nonlocking
NAS6714	Bolt, hex head, close tolerance, A286 CRES, long threads, self-locking, nonlocking
NAS6716	Bolt, hex head, close tolerance, A286 CRES, long threads, self-locking, nonlocking
NAS6718	Bolt, hex head, close tolerance, A286 CRES, long threads, self-locking, nonlocking
NAS6720	Bolt, hex head, close tolerance, A286 CRES, long threads, self-locking, nonlocking
NAS673	Bolt, close, tolerance-hexagon head, titanium
NAS674	Bolt, close, tolerance-hexagon head, titanium
NAS675	Bolt, close, tolerance-hexagon head, titanium
NAS676	Bolt, close, tolerance-hexagon head, titanium
NAS677	Bolt, close, tolerance-hexagon head, titanium
NAS678	Bolt, close, tolerance-hexagon head, titanium
NAS75	Bushing-plain press fit, steel or CRES
NAS77	Bushing-flanged, press fit steel, CRES, bronze & copper
NASM10	Bolt - Machine, aircraft
NASM12	Bolt - Machine, aircraft
NASM122076	Insert, CRES helical coil coarse thread, 1 dia nominal length
NASM122078	Insert, CRES helical coil coarse thread, 1 dia nominal length
NASM122079	Insert, CRES helical coil coarse thread, 1 dia nominal length
NASM122081	Insert, CRES helical coil coarse thread, 1 dia nominal length
NASM122082	Insert, CRES helical coil coarse thread, 1 dia nominal length
NASM122083	Insert, CRES helical coil coarse thread, 1 dia nominal length
NASM122085	Insert, CRES helical coil coarse thread, 1 dia nominal length
NASM122087	Insert, CRES helical coil coarse thread, 1 dia nominal length
NASM122088	Insert, CRES helical coil coarse thread, 1 dia nominal length
NASM14	Bolt - Machine, aircraft
NASM14144	Nut, self-locking, lightweight, casted, 450°F
NASM14145	Nut, self-locking, lightweight, thin, casted, 450° F
NASM15795	Washer, flat-metal, round general purpose
NASM16	Bolt - Machine, aircraft

**TraceParts list of Aerospace Standards available**

<b>Standard</b>	<b>Description</b>
NASM17	Bolt - Machine, aircraft
NASM18	Bolt - Machine, aircraft
NASM19	Bolt - Machine, aircraft
NASM20004	Bolt, interal wrenching, 160 KSI FTU and 96 KSI FSU
NASM20005	Bolt, interal wrenching, 160 KSI FTU and 96 KSI FSU
NASM20006	Bolt, interal wrenching, 160 KSI FTU and 96 KSI FSU
NASM20007	Bolt, interal wrenching, 160 KSI FTU and 96 KSI FSU
NASM20008	Bolt, interal wrenching, 160 KSI FTU and 96 KSI FSU
NASM20009	Bolt, interal wrenching, 160 KSI FTU and 96 KSI FSU
NASM20010	Bolt, interal wrenching, 160 KSI FTU and 96 KSI FSU
NASM20012	Bolt, interal wrenching, 160 KSI FTU and 96 KSI FSU
NASM20014	Bolt, interal wrenching, 160 KSI FTU and 96 KSI FSU
NASM20016	Bolt, interal wrenching, 160 KSI FTU and 96 KSI FSU
NASM20017	Bolt, interal wrenching, 160 KSI FTU and 96 KSI FSU
NASM20018	Bolt, interal wrenching, 160 KSI FTU and 96 KSI FSU
NASM20020	Bolt, interal wrenching, 160 KSI FTU and 96 KSI FSU
NASM20022	Bolt, interal wrenching, 160 KSI FTU and 96 KSI FSU
NASM20024	Bolt, interal wrenching, 160 KSI FTU and 96 KSI FSU
NASM21	Bolt - clevis
NASM21042	Nut, self-locking, 450°F, reduced hexagon, reduced height, ring base, non-corrosion resistant steel
NASM21043	Nut, self-locking, 800°F, reduced hexagon, reduced height, ring base, corrosion resistant steel
NASM21044	Nut, self-locking, hexagon, regular height, 250°F, 125 KSI Ftu and 60 KSI Ftu
NASM21045	Nut, self locking, hexagon-regular height, 450°F, 125 KSI Ftu
NASM21047	Nut, self-locking, plate, two lug, low height, steel, 125 KSI Ftu, 450°F
NASM21048	Nut, self-locking, plate, two lug, low height, CRES, 125 KSI Ftu, 450°F and 800°F
NASM21051	Nut, self-locking, plate, one lug, low height, steel, 125 KSI Ftu, 450°F
NASM21052	Nut, self-locking, plate, one lug, low height, CRES, 125 KSI Ftu, 450°F and 800°F
NASM21055	Nut, self-locking, plate, corner, low height, steel, 125 KSI Ftu, 450°F
NASM21056	Nut, self-locking, plate, corner, low height, CRES, 125KSI Ftu, 450° F and 800° F
NASM21059	Nut, self-locking, plate, two lug, floating, low height steel, 125 KSI Ftu, 450°F
NASM21060	Nut, self-locking, plate, two lug, floating, low height, CRES, 125 KSI Ftu, 450°F & 800°F
NASM21061	Nut, self-locking, plate, one lug, floating, low height, steel, 125 KSI Ftu, 450°F
NASM21062	Nut, self-locking, plate, one lug, floating, low height, CRES, 125 KSI Ftu, 450°F and 800°F
NASM21063	Nut, self-locking gang channel, floating, low height, steel, 125 KSI Ftu, 250°F
NASM21064	Nut, self-locking gang channel, floating, low height, steel, 125 KSI Ftu, 450°F
NASM21069	Nut, self-locking, plate, two-lug, reduced rivet spacing, low height, steel, 125 KSI Ftu, 450°F
NASM21071	Nut, self-locking, plate, one lug, reduced rivet spacing, low height, steel, 125 KSI Ftu, 450°F
NASM21209	Insert, screw thread, coarse, screw locking, helical coil, CRES
NASM21209	Insert, screw thread, fine, screw locking, helical coil, CRES
NASM21244	Nut, castellated, hexagon, counterbored, assembled washer, 450°F, (for self-retaining bolts)
NASM21250	Bolt, tension, steel, external wrenching, flanged, 12-point, 180 KSI Ftu, 450°F
NASM21299	Washer, countersunk and plain, for use with bolts and nuts up to and including 260 KSI Ftu
NASM22	Bolt - clevis
NASM23	Bolt - clevis
NASM24	Bolt - clevis
NASM24665	Pin, cotter (split)

**TraceParts list of Aerospace Standards available**

<b>Standard</b>	<b>Description</b>
NASM24693	Screw, machine, flat countersunk head, 100°, cross recessed, UNC-2A and UNF-2A
NASM24694	Screw, machine, flat countersunk head, 100°, structural, cross recessed, UNC-3A and UNF-3A
NASM25	Bolt - clevis
NASM256	Nut - self-locking, plate, right angle, 250°F
NASM26	Bolt - clevis
NASM27	Bolt - clevis
NASM27039	Screw, machine-pan head, structural, cross recessed
NASM28	Bolt - clevis
NASM29	Bolt - clevis
NASM3	Bolt - Machine, aircraft
NASM30	Bolt - clevis
NASM310	Nut plain, castelled, airframe
NASM315	Nut, plain, hexagon, airframe
NASM316	Nut, jam, hexagon
NASM32	Bolt - clevis
NASM320	Nut, plain, castelled, shear
NASM3369	Bolt, self-retaining, positive locking, CRES 90 KSI Ft <sub>u</sub> , 63 KSI Ft <sub>u</sub> , hexagon slotted head, 450°F and 650°F
NASM34	Bolt - clevis
NASM35206	Screw, machine-pan head, cross-recessed, carbon steel, cadmium plated, UNC-2A
NASM35207	Screw, machine-pan head, cross recessed, carbon steel, cadmium plated, UNF-2A (in./mm)
NASM35275	Screw, machine-drilled fillister head, slotted, corrosion resisting steel, passivated, UNC-2A
NASM35276	Screw, machine-drilled fillister head, slotted, corrosion resistant steel, passivated, UNF-2A
NASM35333	Washer, lock, flat-internal tooth
NASM35338	Washer, lock-spring, helical, regular (medium) series
NASM35649	Nut, plain, hexagon, machine screw UNC-2B
NASM35650	Nut, plain, hexagon, machine screw, UNF-2B
NASM37	Bolt - clevis
NASM4	Bolt - Machine, aircraft
NASM42	Bolt, eye
NASM43	Bolt, eye
NASM44	Bolt, eye
NASM45	Bolt, eye
NASM46	Bolt, eye
NASM47	Bolt, eye
NASM48	Bolt, eye
NASM49	Bolt, eye
NASM5	Bolt - Machine, aircraft
NASM51958	Screw, machine pan-head, cross-recessed, corrosion resisting steel, UNF-2A
NASM525	Screw - washer head
NASM565	Set screw-hexagon and fluted socket, headless
NASM6	Bolt - Machine, aircraft
NASM7	Bolt - Machine, aircraft
NASM8	Bolt - Machine, aircraft
NASM818	Nut, tube coupling, short
NASM9	Bolt - Machine, aircraft
NASM929	Cap assembly, pressure seal flared tube fitting
NASM970	Washer, flat